Title:

Certificate of Analysis (CoA)



Date: 8/12/2026
Date Tested: 8/11/2026
Customer: Pure Lab Peptides
Testing material: Cortagen
Lot Number: 14405
Content/Potency: 20 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, white label, red crimp, clear plastic cap.
Labeled as: Cortagen
Manufacturer: N/A
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.

Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	81.1 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Cortagen with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.7 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 20 mg	19.4 mg (96.9 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	19.4 : 61.7 mg (1:3.2)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.


Andrea Castro, BS
Scientist-II
BTLabs

Escarlet Cabrieles, BS
Scientist-II
BTLabs


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: Cortagen Lot 14405



HPLC Purity and Potency Assay @ 220 nm: Cortagen Lot 14405



Cortagen Lot 14405 @ 220 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	1.776	10730.6

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com