Title:

Certificate of Analysis (CoA)



Date: 7/16/2026
Date Tested: 7/15/2026
Customer: Pure Lab Peptides
Testing material: GLOW
Lot Number: 99723
BT Sample ID: 005000040854537
Labeled Peptide Content/Potency: 70 mg
Storage: R.T.
Visual Description: Small clear vial: purple sample, white label, silver crimp, purple plastic cap.
Labeled as: GLOW
Manufacturer: N/A
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.

Test	Method	Specification	Result
General Appearance	USP <630>	purple powder	purple powder
Mass	USP <41>	As recorded	196.8 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of GLOW with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: ≥ 98 %	99.7 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 70 mg	GHK-Cu 49.7 mg (71 %) BPC-157 10 mg (14.3%) TB-500 12.1 mg (17.3%)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	71.9 : 124.9 mg (1:1.7)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
Scientist-II
BTLabs


Escarlet Cabrieles, AS
Scientist-II
BTLabs

5730 Corporate Way | Suite 220 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: https://btlabtesting.com


Title:

Certificate of Analysis (CoA)

FTIR ID and Composition Analysis: GLOW Lot 99723



HPLC Purity and Potency Assay @ 220 nm: GLOW Lot 99723



GLOW Lot 99723 @ 220 nm		
Peak #:	Retention Time (min)	Area (mAU*s)
1	1.581	14229.9
2	4.087	3186.6
3	4.493	2087